

CONFiX™ FWS



IP54

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

IP (EN 60529)	IP54
	UL94-V0,
	-30 C° to 100 C°

90° CONFiX™ FWS.

CONFiX™ FWS


CONFiX™ FWS-A M16~M50

CONFiX™ FWS-B

NW 13, 17, 23, 29, 37, 50.

(RAL 7011) (RAL 9001)

-
-
-



EAN	31380		
	4251269300		3
	202		4,3 mm
	10		
	49 mm		
	45 mm		
	32 mm		
	M16 × 1,5		



EAN

31381
4251269300 □□ □ □
219 □□□ □□
10
49 mm
45 mm
32 mm
M16 × 1,5


□□(RAL 7011)
3
4,3 mm



EAN

31383
4251269300 □□ □ □
226 □□□ □□
10
49 mm
45 mm
32 mm
M20 × 1,5

3
4,3 mm



EAN

31384
4251269300 □□ □ □
233 □□□ □□
10
49 mm
45 mm
32 mm
M20 × 1,5

□□(RAL 7011)
3
4,3 mm



EAN

31386

4251269300 □□ □□

240 □□□ □□

10

67 mm


63 mm

41 mm

M25 × 1,5

3

6,6 mm



EAN

31387

4251269300 □□ □□

257 □□□ □□

10

67 mm

63 mm


41 mm

M25 × 1,5

□□(RAL 7011)

3

6,6 mm



EAN

31389

4251269300 □□ □□

264 □□□ □□

10

85 mm

76 mm

51 mm

M32 × 1,5

4


6,6 mm



EAN

31390
4251269300 
271 
10
85 mm
76 mm
51 mm
M32 × 1,5


 (RAL 7011)
4
6,6 mm



EAN

31392
4251269300 
288 
5
97 mm
92 mm
56 mm
M40 × 1,5

4
6,6 mm



EAN

31393
4251269300 
295 
5
97 mm
92 mm
56 mm
M40 × 1,5

 (RAL 7011)
4
6,6 mm



EAN

31395

4251269300 □□ □ □

301 □□□ □□

5

111 mm


100 mm

73 mm

M50 × 1,5

4

6,6 mm



EAN

31396

4251269300 □□ □ □

318 □□□ □□

5

111 mm

100 mm

73 mm

M50 × 1,5

□□(RAL 7011)

4

6,6 mm



EAN

31410

4251269300 □□ □ □

325 □□□ □□

10

49 mm

45 mm

32 mm

NW 13

3

4,3 mm



EAN

31411

4251269300 □□ □□

332 □□□ □□

10

49 mm

45 mm


32 mm

□□(RAL 7011)

NW 13

3

4,3 mm



EAN

31413

4251269300 □□ □□

349 □□□ □□

10

49 mm


45 mm

32 mm

NW 17

3

4,3 mm



EAN

31414

4251269300 □□ □□

356 □□□ □□

10

49 mm

45 mm

32 mm

□□(RAL 7011)

NW 17

3

4,3 mm



EAN

31416

4251269300 □□ □□

363 □□□ □□

10

67 mm


63 mm

41 mm

NW 23

3

6,6 mm



EAN

31417

4251269300 □□ □□

370 □□□ □□

10

67 mm

63 mm


41 mm

□□(RAL 7011)

NW 23

3

6,6 mm



EAN

31419

4251269300 □□ □□

387 □□□ □□

10

85 mm

76 mm

51 mm

NW 29

4

6,6 mm



EAN

31420

4251269300 □□ □□

394 □□□ □□

10

85 mm

76 mm

51 mm

□□(RAL 7011)

NW 29

4

6,6 mm



EAN

31422

4251269300 □□ □□

400 □□□ □□

5

97 mm


92 mm

56 mm

NW 37

4

6,6 mm



EAN

31423

4251269300 □□ □□

417 □□□ □□

5

97 mm

92 mm

56 mm

□□(RAL 7011)

NW 37

4

6,6 mm



EAN

31425

4251269300 □□ □□

424 □□□ □□

5

111 mm


100 mm

73 mm

NW 50

4

6,6 mm



EAN

31426

4251269300 □□ □□

431 □□□ □□

5

111 mm

100 mm

73 mm

□□(RAL 7011)

NW 50

4

6,6 mm

icotek[®]
smart cable management